

# Table of Contents

**c:geo Settings**

**Services**

Geocaching

Social media

Other settings

**Appearance**

**Cache Details**

**Map**

Map Data

Waypoints

Map Content

Map behavior

Proximity Notification

Map lines customization

Other map settings

**Logging**

Signature

Placeholder Templates

Other logging options

**Offline Data**

Generic

GPX

Database and Geocache data

Maintenance

**Navigation**

Offline-Routing

2

3

3

5

7

8

9

11

11

13

14

15

15

17

19

19

19

20

21

21

22

22

23

24

24


24

# c:geo Settings




The following pages describe the functions of the setting menu in c:geo.

You can access the settings by tapping on the menu button (three dot button) in the upper right of the main menu and selecting Settings:



In this menu you will find the following categories of settings which will be described below in detail:

Icon	Menu item	Content
	Services	Configure geocaching services you would like to use, modify your user account information and access additional services such as <a href="#">GCVote</a> , <a href="#">send2cgeo</a>
	Appearance	Configure distance units, language and app colors

Icon	Menu item	Content
	<a href="#">Cache Details</a>	Customize the display of cache information and hide out certain caches
	<a href="#">Map</a>	Configure map sources, folders for offline maps and set up offline maps and map details
	<a href="#">Logging</a>	Customize logging options and create or modify your logging signature
	<a href="#">Offline Data</a>	Configure the data to be saved for offline use, the storage location and directories for GPX files.
	<a href="#">Routing / Navigation</a>	Configure offline routing, chose preferred navigation methods and select external navigation apps
	<a href="#">System</a>	Configure app directories and other system specific settings
	<a href="#">Backup &amp; Restore</a>	Perform backup and restore of cache/waypoint data and program settings

## Services

## Geocaching



In the first section of the service settings you can configure the connection to the different supported geocaching platforms. Currently c:geo supports the following geocaching services:

Service	Description
<a href="#">geocaching.com</a>	The currently largest commercial Geocaching platform with caches hidden worldwide
<a href="#">Opencaching Germany</a>	Open-Source and free to use Geocaching platform for Geocaches in the whole world with focus on Germany, Austria, Switzerland, Italy and Spain
<a href="#">Opencaching Poland</a>	Open-Source and free to use Geocaching platform for Geocaches in Poland
<a href="#">Opencaching Netherlands</a>	Open-Source and free to use Geocaching platform for Geocaches in the Netherlands
<a href="#">Opencaching USA</a>	Open-Source and free to use Geocaching platform for Geocaches in the United States of America
<a href="#">Opencaching Romania</a>	Open-Source and free to use Geocaching platform for Geocaches in Romania
<a href="#">Opencaching UK</a>	Open-Source and free to use Geocaching platform for Geocaches in the United Kingdom
<a href="#">extremcaching.com</a>	Privately operated geocaching platform with focus on Geocaches with a high terrain rating in German speaking regions
<a href="#">Geocaching Russia</a>	Privately operated geocaching platform for Geocaches in Russia



A detailed description of the authentication procedure for these geocaching services can be found in the [First Steps with c:geo](#).

Furthermore you can use the service menu to configure the connection to the following additional services, which are available in c:geo afterwards:



Service	Description
<a href="#">GCVote</a>	A platform for voting on the quality of Geocaches
<a href="#">GeoKrety</a>	An alternative platform for Trackables
<a href="#">Send2cgeo</a>	Offers a browser script to directly import Geocaches to c:geo by single click on the geocaching website on your PC. Take a look at the website of send2cgeo to learn more about this tool.

Social media



You can authorize c:geo to post on [Twitter](#) each time you send a log for a cache or trackable. After tapping on the Twitter button the authorization screen will be shown:



To authorize to Twitter activate the service and tap on Authorize c:geo. Below the authorization buttons you can modify the templates which are used to post a message on Twitter. This template uses the same [Placeholder templates](#) as in your [logging signature](#).



On the following page, tap on Start authorization to open the Twitter web page, where you have to enter your twitter username and password and afterwards agree to allow c:geo to post on Twitter on your behalf.



c:geo does only support Twitter as a social network. As the development team has limited resources and is focusing on new geocaching features we currently do not have plans to implement a Facebook connection.

However if you are Twitter user already and/or you are looking for a way to post your findings to Facebook, please note that there is a possibility to link Twitter to Facebook. Doing so all your tweets will also be posted on Facebook (including the c:geo tweets).

You can find more info on the [Twitter support website](#).


## Other settings



Menu item	Description
Android browser	For compatibility reasons c:geo will normally use the identification of a normal PC web browser when accessing the services. As some mobile network providers do not allow using your mobile network connection on a PC, they might block traffic identified to target a PC web browser thus making c:geo unusable. In this case some services might not work or you cannot even get authorized. Enabling this setting will instead identify c:geo as a mobile Android browser to solve this problem. We recommend to only enable this option in case of problems.

## Appearance

In this menu you can configure some basic user interface settings of c:geo.






Menu item	Description
Light Skin	When activated c:geo is using black letters on white background instead of the default white letters on black background. <i>(Default: Deactivated)</i>
Transparent background	When activated the main screen of c:geo is transparent showing your desktop wallpaper as a background. <i>(Default: Activated)</i>
Show Address	When activated c:geo will use a reverse geocoding service to show the current location name instead of the location coordinates at the bottom of the main screen. <i>(Default: Activated)</i>
Plain Logs	Activating this setting will show all log entries without the custom colors for enhanced readability. <i>(Default: Deactivated)</i>
Select language	This setting allows you to manually set the used language for c:geo. This might be helpful in case you have problems with wrong translations in your language. A restart of c:geo is required after you modified this setting. <i>(Default: Use default language of the device)</i>
Use Imperial Units	Activating this option will make c:geo use imperial units (miles/feet) instead of metric units (meter/kilometer) on all relevant screens. <i>(Default: Activated (for languages en-us), Deactivated (for all other languages))</i>

## Cache Details



Menu item	Description
Show Friends'/Own	Activating this option will show an additional logbook page in the details of each cache, which contains all your own logs of this cache as well as all the logs of your geocaching friends (based on the friend function of geocaching.com). <i>(Default: Activated)</i>
Last Details Page	When deactivated the cache details will always open with the page Details while activating this function will remember the last opened page and open any new caches on this page (e.g. waypoints). <i>(Default: Deactivated)</i>
Show Direction	<div><p>This function will show small directional arrows in all cache lists, providing coarse information about the direction of a cache relative to your device. While this may help to figure out if a cache is e.g. in front or behind you, it is not designed to replace the other navigation methods in c:geo. <i>(Default: Activated)</i></p><div><p>Please be aware, that for basic members of geocaching.com this function will in search results only show static direction images, but no moving arrows.</p></div></div>



Menu item	Description
Disable waypoint extraction	Enabling this setting will <b>globally</b> deactivate the feature of automatic waypoint generation for coordinates found in your personal caches notes. Alternatively you can disable the feature individually for a cache by deactivating the checkbox directly below the personal cache note.
Use Chrome Webview	External website will be shown in a chrome webview window directly in c:geo instead of opening your external device browser.  This function requires Google Chrome to be installed on your device.
Exclude Own and Found	Activating this item will hide caches you own or have already found in all online functions of c:geo. Owned and found caches will however still be shown in your saved lists of caches.
Exclude Disabled	This will hide temporarily disabled caches in all online functions of c:geo. Disabled caches will however still be shown in your saved lists of caches.
Exclude Archived	This will hide archived caches on the map. Archived caches will however still be shown in your saved lists of caches.


## Map

### Map Data



Menu item	Description
Select Map Source	This allows you to define the map, which shall be used in all map functions of c:geo. The menu will contain all available online maps as well as the offline map files found in your offline map directory. You can change this setting also directly from the live map by tapping the map layer icon and selecting another <a href="#">map source</a> .
Info on Offline Maps	This info item will provide you more detailed information about supported <a href="#">offline map</a> formats and a link to the <a href="#">offline map tutorial</a> in this user guide.
Download offline map	This will open the c:geo map downloader, where you can download new offline maps from various sources or update already installed maps. Details are described in <a href="#">the offline map tutorial</a> of this user guide.

Menu item	Description
Directory with offline maps	Here you can configure the directory, which contains your Mapsforge <a href="#">offline map</a> files.
Info on Map Themes	This info item will provide you more detailed information about supported offline map themes and some more hints for best practice.
Map Themes Directory	Here you can configure the directory, which contains your offline map themes.
Synchronize themes	<p>In case you experience a slow performance when opening the map, you can use this option to synchronize your theme folder into an app private storage. This will increase the access speed but consume a bit more data storage.</p> <div> Please make sure your theme folder does not contain any unrelated (large amount of) data before enabling this feature!</div>
Map rotation (Google Maps)	<p>You can switch rotation of the map according to device heading off/on or enable manual rotation.</p> <div> This function is currently only available for Google Maps.</div>



Learn more about the c:geo offline maps by reading the chapter about [Offline Caching](#)!

Waypoints

Waypoints

Show waypoints

If less than the given amount of caches are displayed on the map, their waypoints are shown additionally.

10

Hide waypoints

Hide original waypoints on the map

☐

Hide parking waypoints on the map

☐

Hide visited waypoints on the map

☒

Zoom includes waypoints

If mapping a single cache: Should zoom be adjusted to include all its waypoints?

☐

Menu item	Description
Show Waypoints	Here you can set the limit for showing waypoints of (saved) caches on the map. If less than the selected amount of caches are displayed on the visible map area, their waypoints are shown additionally. You can either use the slider to set the value or tap on the number to set a new value. <i>(Default: 10)</i>
Hide Waypoints	These sub items allow to hide certain waypoint types on the map: 1. Hide original waypoints: If a cache has modified listing coordinates assigned and thus a waypoint automatically created, which contains the original listing coordinates, this function will hide this original coordinate waypoint. 2. Hide parking waypoints: Enabling this option will hide all waypoints of the type "Parking". 3. Hide visited waypoints: Enabling this option will hide all waypoints, which are marked as visited by the user in c:geo. <i>(Default: All off)</i>
Zoom includes waypoints	If this setting is enabled the zoom level will include all waypoints of a cache, if you open a map for a single cache. <i>(Default: Off)</i>

Map Content

Map Content

Show history track

When activated (and GPS is on) c:geo saves the history of your movements as a track and displays it on the map.

☐

History track max. length

Set maximum length of history track (enforced on each startup of c:geo). Default value is 700 points - adjust according to available memory.

700

Big icons


If enabled, symbols like the 'found smiley' or the 'corrected coordinates' marker will be shown enlarged on the map instead of the cache type icon.

☐


D/T rating on cache icons

Show an marker for the Difficulty (left) and Terrain (right) ratings on cache markers in upper-right corner (stored marker is moved to middle).

☐

Menu item	Description
Show history track	<div>With this option you can activate a track showing your position history (your movement) on the map. <i>(Default: Deactivated)</i></div> <div> Please be aware, that this will only be accurate as long as you use the map and have GPS enabled and will have gaps or jumps in case you switch your device to standby or deactivate GPS. If you would like a more reliable track recording you should rather use a specialized app.</div>
History track max. length	Allows to raise the amount of track points available for the history track. Once the limit is reached the oldest recorded points will be removed if new points are recorded. Raising the limit however allocates more memory. <i>(Default: 700 points)</i>
Big icons for logged caches	If enabled the map will show big emoticons for logged caches instead of the cache type icon. A restart is required after changing this setting. <i>(Default: Deactivated)</i>

Map behavior



Menu item	Description
Long tap on map	<div>If enabled you can long tap on the map for two purposes:</div> <div>1. Long tap on a cache or waypoint will add this cache/waypoint to your <a href="#">individual route</a>.</div> <div>2. Long tap on the map will trigger creation of a <a href="#">user defined cache</a>. <i>(Default: Deactivated)</i></div>

Proximity Notification



Menu item	Description
Far distance	Defines the far distance for the proximity notification. You can either use the slider to set the value or tap on the number to set a new value.
Near distance	Defines the near distance for the proximity notification. You can either use the slider to set the value or tap on the number to set a new value.
General proximity notification on map	When enabled a single notification beep is issued if any cache or waypoint on the map comes closer than far or near distance. When reaching the far distance a single beep is issued, when reaching near distance a triple beep is issued. <i>(Default: Deactivated)</i>
Specific waypoint proximity notification	When enabled a repeated notification beep is issued if the currently selected cache or waypoint comes closer than far or near distance. This works if cache or waypoint details are opened, cache or waypoint popup on the map are shown or the compass is active. When reaching the far distance a single beep is issued, when reaching near distance a triple beep is issued. <i>(Default: Deactivated)</i>
Type of notification	With this menu item you can choose whether you would like to receive an audio notification, a text notification in your status bar or both. Hint: In case you are also using a smartwatch the text notification will allow some interaction with it, as the text notification should be shown on the smartwatch as well. <i>(Default: Tone only)</i>



Depending on Android version and power saving settings on your device it might happen, that the proximity notification stops working if you switch off the display of your device. Please consult your device settings to solve this. We are also investigating how the behavior can be improved in general to allow background notification.



## Map lines customization

Map lines customization

History track line color

Select color and opaqueness for history track line

History track line width

Select width for history track line

Direction line color

Select color and opaqueness for direction line. Direction line shows a straight line to selected navigation target, or the specific navigation path, if routing is enabled by in the BRouter app.

Direction line width

Select width for direction line

Individual route line color

Select color and opaqueness for individual route line. An individual route is a collection of waypoints and/or caches you selected long-tapping on the waypoint/cache. (You to enable the long tap function first, see [map content settings](#).)

Individual route line width

Select width for individual route line

GPX track/route line color

Select color and opaqueness for track/route line. A track/route consists of several waypoints and can be loaded via a GPX track/route file.

GPX track/route line width

Select width for GPX track/route line

7

Circle line color

Select color and opaqueness for circle line. Circles are used as a visual representation for the minimum radius around a cache or physical waypoint, wherein no other cache or physical waypoint is allowed. (Applies to geocaching.com)

Circle fill color

Select color and opaqueness for the circles to be filled with

Accuracy circle line color

Select color and opaqueness for accuracy circle line. Accuracy circle is used as a visual representation for location signal accuracy.

Accuracy circle fill color

Select color and opaqueness for the accuracy circles to be filled with

These menu items allow to customize the appearance of the different types of lines and circles shown on the map. You can change their color and opaqueness as well as the line width and the circle fill colors according to you personal preference.

Within each color selection you can reset color and opaqueness to their default values in case you misconfigured something. The default width is 10 pixels.

The following table briefly describes the different lines and circles and their usage:

Menu item	Description
History track	If the history track is activated in <a href="#">map content settings</a> a track of your movement will be drawn on the map.
Direction line	The direction line is a straight or specific routed navigation path (if the <a href="#">BRouter</a> app is installed) from your current position towards a selected cache or waypoint (navigation target).

Menu item	Description
Individual route	An individual route is a collection of caches or waypoints you selected sequentially by long tapping them on the map. This function can be used to plan your caching trips by drawing a route from one cache/waypoint to another. The long tap function needs to be enabled in <a href="#">map behavior settings</a> .
GPX track/route	The GPX track/route you imported from a GPX file in the <a href="#">live map menu</a> . It can be used to visualize a given track you want to follow.
Circle	If activated in the <a href="#">map setting menu on the map</a> c:geo will show circles with a distance of 1/10 mile (161 meters) around all physical waypoints (i.e. traditional caches, physical stages of a cache, mystery caches with corrected coordinates). This is the minimum distance placed caches need to have on geocaching.com and these circle might be helpful when you are planning to hide a new cache and are looking for a position.
Accuracy circles	This is a small circle drawn around your current position. It represents the uncertainty of your GPS position.


Other map settings



Menu item	Description
Multi-threaded (OSM)	When activated the OSM map renderer uses multiple threads on your device processor to render the map. This will speed up map drawing but might in rare cases lead to drawing problems. It should be deactivated if you encounter problems in map display. <i>(Default: Activated)</i>

Logging

Signature



Menu item	Description
Signature	Tapping this option will open a text window where you can define your custom signature template appended to each log you compose with c:geo. In the editor you can tap on Insert Template to get a list of possible placeholder templates you can use in your logs (see detailed table below).
Insert automatically	Activating this item will automatically insert the custom signature into your log text when you start logging a cache with c:geo. If this option is deactivated you can still insert your signature manually on demand by selecting + and Signature while composing your log. (Default: Deactivated)

Placeholder Templates

While creating your custom signature you can use several placeholder templates, which will be expanded later when the signature template is used:


Placeholder name	Description	Example
[DATE]	The current date when composing the log. The date format will follow your phones global date format setting.	June 4, 2018
[TIME]	The current time when composing the log. The date format will follow your phones global time format setting.	14:50
[DATETIME]	Combination of [DATE] and [TIME] as described above.	June 4, 2018 14:50
[USER]	Your geocaching username for the respective geocaching platform where the cache you are logging belongs to.	My username
[NUMBER]	Your current find count for the respective geocaching platform, where the cache you are logging belongs to, incremented by 1, thus providing the find count for the cache you are logging. This template will also count for offline logs.	4853
[ONLINENUM]	Same as [NUMBER] but will not consider offline logged caches.	4853

Placeholder name	Description	Example
[OWNER]	The geocaching username of the owner of the cache you are about to log	SuperOwner
[NAME]	Title of the cache you are about to log	My first hide
[DIFFICULTY]	The difficulty rating of the cache you are logging	D2,5
[TERRAIN]	The terrain rating of the cache you are logging	T4,0
[SIZE]	The size information of the cache you are logging	Large
[URL]	The URL of the cache page of the cache you are logging	<a href="http://coord.info/GC77">http://coord.info/GC77</a>
[LOG]	This placeholder inserts the whole log text, which obviously makes no sense when using it in the logging template. It makes however sense to be used in the <a href="#">Twitter template</a> .	This is my personal log text. TFTC!
[TYPE]	The cache type you are currently logging.	Traditional Cache

Other logging options



Menu item	Description
Visit TBs	Enabling this option will automatically set all Trackables in your inventory as Visited when logging a cache. <i>(Default: Deactivated)</i>
Offline Logging	Using this function will activate a One tap offline log function replacing the normal logging screen. It can be used to easily generate offline logs/field notes. The normal logging screen will still be available as a sub menu of the One tap offline log menu. <i>(Default: Deactivated)</i>
Show offline logs	An offline log counter (e.g. "+1") will be shown next to your online find count on the <a href="#">home screen</a> , if you have found logs, that are not submitted yet.



Learn more about the c:geo offline functions by reading the chapter about [Field Notes](#)!

Offline Data



You can find more details regarding the offline usage of c:geo on the page [Offline use!](#)

Generic



Menu item	Description
Save images	If this option is activated c:geo will save all images contained in the caches logbooks onto your device for offline availability. You need to refresh already stored caches after activating this function to make their images available offline. If this option is deselected log images will be loaded on demand only (when opening them or accessing the caches image tab) but still be saved permanent afterwards until you delete the cache from your device. <i>(Default: Deactivated)</i>
Ask for List	When activated you will be asked in which list the cache shall be saved if you store a cache in c:geo. If it is deactivated all caches will be stored to the default list. <i>(Default: Activated)</i>
Additional lists	If this option is activated c:geo will show all additional lists, on which a certain cache is stored in c:geo, on your cache lists. <i>(Default: Deactivated)</i>

GPX



Menu item	Description
GPX Folder	Select the directory where GPX file exported from c:geo will be stored. (Default:/cgeo/gpx)

Database and Geocache data



Menu item	Description
Database location - On user storage	<p>The geocache database mainly contains basically the list of your saved caches. You may store this database either system internally or in a directory on your user storage. Having it on the user storage may free some memory, but you may lose a bit of performance and c:geo will not work if the storage is not accessible or you remove the database file.</p> <p>As the database availability is critical for using c:geo and the typical size is only some megabyte, we decided to forbid moving it to the external SD card. If you enable the option On user storage the database will be moved to the folder /Android/data/cgeo.geocaching/files/databases (may vary depending on your device).</p> <div> On most up to date phones the system storage and the internal storage are in fact only different areas of the same physical storage. So this function will only make sense on some special phone types under special conditions. The SD card is never involved here.</div>

Menu item	Description
Geocache Data Directory - Select Geocache Data Directory	<p>The additional data can be much larger than the geocache database mentioned above as it contains the images of the cache description and (optionally) the images retrieved from logs and (optionally) static maps. By default this data is stored on the internal user storage in /Android/data/cgeo.geocaching/files/GeocacheData/. If your device supports using the external SD card this menu option will show you the available target directories as well as the current size of your geocache data and the available space on the target directories.</p> <p> The initial moving of the geocache data might take a long time depending on the amount of data to be moved. Please don't interrupt the process and make sure your device is sufficiently charged.</p> <p> If you remove the external SD card or the SD card is full the additional geocache data will no longer be available and c:geo might no longer work as expected.</p>

Maintenance



Menu item	Description
Delete orphaned files	<p>c:geo stores cache images, log images and other files related to a cache in a separate directory (refer to <a href="#">Geocache Data Directory</a>). In some cases (e.g. restoring a backup) this directory might contain outdated files of caches no longer stored on the device. These outdated data can be deleted by using this function.</p> <p> After deleting caches from your list, the additional geocache data will be cached by c:geo internally for 72hours to avoid re-downloading it in case of a user mistake. Afterwards it will be deleted automatically. There is no need to use this function in this case and it will also make no sense as the data is still kept during the 72 hour period.</p>

Navigation

Offline-Routing





Menu item	Description
Calculate route	