

Table of Contents

- Filtrer les caches** 2
- Accéder au filtre** 2
- Filtrage basique** 2
 - Filtre par type 4
 - Filtre par Difficulté/terrain 4
 - Filtre basique par statut 4
- Filtrage avancé** 5
 - Créer et supprimer des critères de filtrage 6
 - Charger et sauvegarder les filtres 8
 - Options supplémentaires 9
- Available filter criteria** 10
 - Category "Basic" 10
 - Category "Details" 10
 - Category "User Specific" 10
- Filter criteria details** 11
 - Text filters 11
 - Date filters 11
 - Status filter 12
 - Attributes filter 14
 - Size filter 15
 - Favorites filter 16
 - Log Entry filter 16
 - Logs Count filter 17
 - Distance filter 18
 - Dynamic Checkbox filters 18




Cette page n'est pas encore traduite entièrement. Merci de terminer la traduction

(supprimez ce paragraphe une fois la traduction terminée)

Filtrer les caches

Le filtrage des caches peut être appliqué à différents endroits dans c:geo, par exemple sur la [carte](#), dans [listes](#) ou lors de l'exécution d'une [recherche](#). À tous ces endroits, le même mécanisme de filtrage est utilisé.

Accéder au filtre

Les paramètres des filtres sont accessibles via le menu des options en cliquant sur l'icône du filtre .

Si un filtre est déjà actif, il est affiché sous la forme d'une ligne d'en-tête sous la barre de titre. En appuyant sur cette ligne d'en-tête, vous pouvez également accéder aux paramètres du filtre. Par exemple, la capture d'écran suivante montre à la fois l'icône du filtre et la ligne d'en-tête du filtre (entourée en rouge) où le filtre actuel est réglé pour ne montrer que les caches de type "Traditionnel".

Une long appui sur cette indication ouvrira une liste des filtres enregistrés pour changer le filtre actif.




Filtrage basique

Le filtrage de base permet de filtrer par type de cache, difficulté et terrain :



Le tableau suivant décrit les fonctions des filtres :




Icône	Fonction	Description
	Appliquer	Ferme la boîte de dialogue et applique les paramètres de filtre actuels aux caches.
	Annuler	Ferme la boîte de dialogue et abandonne les modifications du filtre.
	Effacer	Efface le filtre actuel, c'est-à-dire le place dans un état où il ne filtre rien (tous les types de cache sont cochés, toutes les difficultés/les valeurs de terrain sont sélectionnées).
	changer de mode	Passe du mode de base au mode de filtrage avancé .

Le reste de l'écran est divisé en différentes sections. Vous pouvez définir des critères de filtrage dans plus d'une de ces sections. Dans ce cas, ils seront combinés en utilisant la logique ET. Par exemple, si vous définissez **Type de cache** sur *Traditionnel* et **Difficulté** sur *1.0-3.0*, vous ne filtrerez que les caches qui sont à la fois de type *Traditionnel* et qui ont une **Difficulté** ≤ 3.0 .

Filtre par type

Filtrez par type de cache. Utilisez les cases à cocher pour marquer/démarquer les types de cache que vous souhaitez inclure dans la liste des résultats. Utilisez la case à cocher **Tout sélectionner** pour marquer/démarquer rapidement tous les types de cache.

c:geo prend en charge plus de 20 types de caches provenant de nombreux services de géocaching. Ainsi, pour faciliter le dialogue de filtrage, certains types de caches sélectionnables regroupent d'autres types de caches. Cette logique a été copiée aussi fidèlement que possible du comportement de geocaching.com :

Icône	Type de cache	Filtre les caches suivantes
	Tradi	Cache Traditionnelle , Geocaching HQ, Cache Project APE
	Évènement	Cache Évènement, Cache Mega-Évènement , Cache Giga-Évènement , Community Celebration Event, Geocaching HQ Celebration, GPS Adventures Exhibit, Geocaching HQ Block Party
	Virtuelle	Cache virtuelle, Cache Locationless (Reverse)


Filtre par Difficulté/terrain

Filtrez par **Difficulté** ou **Terrain**. Utilisez les curseurs respectifs pour sélectionner une plage de valeurs pour laquelle vous souhaitez filtrer les caches. Le filtrage sera fait de manière inclusive, par exemple, en réglant le curseur sur 1.5-3.0, les caches avec **Difficulté** 1.5 seront incluses dans le résultat, mais pas ceux avec **Difficulté** = 1.0.

Notez que si vous définissez le filtre sur toute la plage (1.0-5.0), vous incluez également dans le résultat les caches qui n'ont pas du tout de **Difficulté / Terrain** (comme par exemple les caches personnelles).

Filtre basique par statut

Permet de filtrer par l'état actuel d'une cache. Vous pouvez choisir de filtrer les caches en fonction de leur état. Ce filtre est également disponible avec plus d'options dans le mode [avancé](#).



Pour inclure/exclure les caches dans les états **Actif**, **Désactivé** ou **Archivé**, marquez/démarquez les puces respectives en haut du filtre.

Les autres options d'état vous permettent toutes de définir l'une des trois valeurs suivantes :

Tout	Les caches ne doivent pas être filtrés en fonction de ce critère.
Oui	Seuls les caches répondant à ce critère seront inclus dans le résultat. Par exemple, en définissant Trouvé à <i>Oui</i> , seules les caches trouvées seront incluses dans le résultat du filtre.
Non	Seules les caches répondant PAS à ce critère seront incluses dans le résultat. Par exemple, si vous définissez Trouvée sur <i>Non</i> , seules les caches non trouvées seront incluses dans le résultat du filtre.

Les filtres d'état suivants sont disponibles (la description indique ce qui est filtré si vous choisissez *Oui*) :

Status Filter	Description
Trouvée	Filtre les caches que vous avez trouvés.
Possédée	Filtres pour les caches que vous possédez.
A un log hors-ligne	Filtre les caches qui ont un log hors-ligne.

Filtrage avancé

Pour utiliser les fonctions de filtrage avancées, activez le bouton **Mode de base/avancé**. Cela modifiera la disposition de la boîte de dialogue du filtrage comme suit :




En mode **Avancé**, plusieurs éléments sont ajoutés à la fonction de filtrage, qui sont décrits dans la section suivante.


Crée et supprimer des critère de filtrage

En mode **Basique**, les critères de filtrage disponibles sont exactement *Type de cache*, *Difficulté* et *Terrain* ainsi qu'un filtre de base *statuts*. En mode **Avancé**, vous pouvez librement ajouter ou supprimer des critères de filtrage pour construire votre propre filtre personnel. Vous pouvez même ajouter le même critère de filtrage

plusieurs fois, par exemple pour créer un filtre contenant plusieurs morceaux de texte dans le nom de la cache.



Pour ajouter un critère de filtre, appuyez sur le bouton **Ajouter un critère** en haut à droite. Une boîte de dialogue s'ouvrira, énumérant tous les critères de filtrage disponibles :




En choisissant l'un des critères, le filtre correspondant sera ajouté à la liste des critères. Tous les critères sont expliqués [ici](#).


Pour supprimer un critère de filtre, touchez l'icône de la corbeille dans son coin supérieur droit.

Pour modifier l'ordre des critères de filtrage dans la liste, touchez et tirez l'icône de glissement dans son coin supérieur droit.

Charger et sauvegarder les filtres


Les filtres peuvent être librement sauvegardés et chargés en utilisant un nom défini par l'utilisateur.



 Pour enregistrer un filtre, utilisez l'icône "enregistrer". Une boîte de dialogue s'ouvrira pour vous permettre d'entrer un nom pour le filtre :




Pour charger ou supprimer un filtre existant, utilisez l'icône "Modifier" . Une boîte de dialogue s'affiche avec tous les filtres existants, vous permettant d'en sélectionner un et de le charger ou de le supprimer à l'aide des boutons correspondants :



Options supplémentaires

Additional filter options are available in advanced mode:



Fonction	Description
Use OR instead of AND	Usually, the filter criteria are connected using an AND logic (as described in filter_basic:Basic mode). When this checkbox is marked, they are connected using OR logic.
Inverse Filter	If this checkbox is checked, the logic of the filter is inverted (in other words: a NOT is applied in front of it). All caches filters by the expression before are now NOT filtered and vice versa
Include inconclusive matches	In some situations, some filters can't be evaluated by c:geo. For example, for not locally stored caches, the <i>attributes</i> filter cannot be evaluated. Caches falling in this category are said to be 'inconclusive' because c:geo can't decide whether they fulfill the filter criteria or not. Normally such caches are NOT shown in the result list. By marking this checkbox, you may tell c:geo to SHOW such caches in the result list.

Available filter criteria

The following table lists all available filter criteria. Those criteria can be used to build up arbitrary complex filters in **Advanced** mode. In follow-up sections, some filter criteria are explained in more detail.

Category "Basic"

Filter	Description
Cache Description	A text filter for the cache's description
Cache Name	A text filter for the cache's Name
Cache Owner	A text filter for the cache's Owner
Cache Type	Filter for the cache type. This is a basic filter which is described here
Hidden Date	A date filter for the cache's hide date
Status	Filters caches using various status values e.g. Found, Owned, Disabled or Archived. This filter is explained in more details here .

Category "Details"

Filter	Description
Cache Attributes	Filters caches using Cache Attributes e.g. "Recommended for kids" or "Stealth necessary". This filter is explained in more details here .
Cache Size	Filters caches by their size (e.g. Regular, Small, Micro). This filter is explained in more details here .
Difficulty	Filters caches by their difficulty. This is a basic filter which is described here .
Favorites	Filters caches by assigned favorite points. This filter is explained in more details here .
Last Found Date	A date filter for the cache's last found date.
Location	A text filter for the cache's Location (e.g. Country or State). On typing this text filter will make completion suggestions such as "Germany" or "Bavaria" depending on the locations of caches stored on your device.
Log Entry	Filters caches based on content stored in one of it's log entries. This filter is explained in more details here .
Logs Count	Filters caches based on logs count. This filter is explained in more details here .
Origin	Filters caches based on their origin e.g. <i>Geocaching.com</i> or <i>opencaching.de</i> . This is a Dynamic checkbox filter .
Terrain	Filters caches by their terrain. This is a basic filter which is described here .


Category "User Specific"

Filter	Description
Distance	Filters caches for their distance from a certain point. This filter is described in more details here .
Offline Log	A text filter for existing offline logs.
Personal Note	A text filter for cache's personal note.
Stored Lists	Filters caches based on their presence in a user-defined list. This is a Dynamic checkbox filter .
Stored Since	Filters caches based on their storage age in c:geo (e.g. how many days ago was this cache's offline data last refreshed).

Filter criteria details

Text filters

Text filters filter for a text in a specific field of the cache data, e.g. *Name* or *Description*. They all work the same way and are explained here using *Cache Name* as an example.




The type of text filtering can be selected by tapping the **Text filter type** button which initially shows the value *Contains*. The text type together with the text value entered in field **Search Text** determines which caches are filtered.

Filter Type	Description
Is Present	Filters all caches where the filtered field has a non-empty value.
Is Not Present	Filters all caches where the filtered field has no value or an empty value.
Contains	Filters all caches where the filtered field contains the Search Text at any position.
Starts With	Filters all caches where the filtered field starts with the Search Text .
Ends With	Filters all caches where the filtered field ends with the Search Text .
Pattern	Filters all caches where the filtered fields value corresponds to the Pattern given in the Search Text . You may use the wildcards ? and * . A * represents zero, one or multiple characters, while a ? represents only one single character. For example, pattern H?mburg* will match e.g. Homburg or Hamburg at Night but not A day in Hamburg or Hahmburg

Use the **Match case** checkbox to decide whether text matching should occur case-sensitive or not.

Date filters

Date filters filter for a date in a specific date field of the cache data, e.g. the hidden date. They all work the same way and are explained here using *Hidden Date* as an example.



This type of filter let's you search for a From - To Date range, where both From and To can optionally be empty. Tap on the respective buttons next to the **From / To** label to set a date. In the date picker dialog, you may choose the button **Clear** to clear the date.

Status filter

The status filter filters for various cache status values and looks like this:



To include/exclude caches in states **Active**, **Disabled** or **Archived**, mark/unmark the respective chips at the top of the filter.

The other status options all allow you to set one of three values for it:

All	Caches should not be filtered according to this criteria.
Yes	Only caches meeting this criteria will be included in result. For example, setting Found to Yes will lead to only found caches being included in the filter result.

No	Only caches NOT meeting this criteria will be included in result. For example, setting Found to <i>No</i> will lead to only not-found caches being included in the filter result.
-----------	---

The following status filters are available (Description says what is filtered if you choose Yes):

Status Filter	Description
Found	Filters for caches you have found.
Owned	Filters for caches you own.
Stored	Filters for caches which are stored locally.
Own Favorite	Filters for caches where you gave a favorite point.
On Watchlist	Filters for caches on your watchlist.
Premium	Filters for Premium caches (geocaching.com only)
Has Trackable	Filters caches which have at least one trackable associated with them.
Has Own Vote	Filters caches where you gave a vote.
Has Offline Log	Filters caches which have a locally stored offline log.
Solved Mystery	Filters mystery caches which are considered <i>solved</i> . A mystery is considered <i>solved</i> if it has either changed coordinates or a valid final waypoint filled with coordinates.

Attributes filter


The attributes filter filters for various cache attributes values and looks like this:



Mark all size chips where you want to filter caches for. Use the special *Select all* chip to quickly mark or unmark all available size options.

Favorites filter

The favorites filter filters for favorite points assigned to a cache, and looks like this:



Use the **Absolute / Percentage** toggle to choose whether to filter for absolute favorite point count or for percentage of favorited logs in comparison with all found logs. Note that the scale of the slider below will change/reset if you toggle this value.

In **Absolute** mode, select on the scale the range of favorite points you want to filter. Selecting the very right point of the scale will result in filtering all caches with > 1000 favorite points.

In **Percentage** mode, use the scale to select a percentage range between 0% and 100% to filter.

Log Entry filter

The log entry filter filters caches based on their log entries, and looks like this:



You may choose to filter caches with a log entry:

- by a specific user (e.g. *EddieMuc*), or
- containing a specific text (e.g. *TFTC*)

Use **Include** / **Exclude** toggle to filter for caches either **having** or **not having** a log entry satisfying the selected criterias.

Logs Count filter

The logs count filter filters caches based on their logs count, and looks like this:




Tap on the **Log Count Type** combo box (initially set to *Found It*) to select the type of log for whose count you want to filter. Select one of *Found it*, *Didn't find it* or *All logs*.

In the slider below, select the range of logs count you want to filter caches for. Selecting the very right point of the slider will result in filtering all caches with > 1000 logs of the specified type.

Distance filter


The distance filter filters caches based on their distance from a certain point, and looks like this:



- Mark the *Use current position* checkbox to base the distance calculation on your current GPS position
- Enter a valid WGS84-coordinate in the text field to use it as the base for the distance calculation.
- Use the slider below to select the min and max distance (in kilometers/miles) of caches within the base coordinate to include in the filter result.

Dynamic Checkbox filters

Dynamic Checkboxlist filters filters for one or multiple value from a more dynamic list. Example filters using this are *Origin* and *Stored List* filter:



Mark the items on the list you want to see in the result list. Use the *Add more items* button to see more items to add.