

## Table of Contents


|   |   |
|---|---|
| <b>Persoonlijke notities gebruiken om waypoint informatie te maken en op te slaan</b> ..... | 2 |
| <b>Automatisch maken van waypoints</b> .....  | 2 |
| <b>Sleutelwoorden gebruiken voor waypoint-types</b> .....                                   | 2 |
| <b>Advanced waypoint syntax</b> .....   | 4 |

# Persoonlijke notities gebruiken om waypoint informatie te maken en op te slaan


## Automatisch maken van waypoints

Als je in een [persoonlijke notitie](#) van een cache geldige coördinaten hebt (bijv. N50 10.123 E010 34.876) zal c:geo automatisch een waypoint hiervan maken in het [waypoint tabblad](#) van deze cache.

Als je bijvoorbeeld deze persoonlijke notitie hebt gemaakt



zal c:geo automatisch dit waypoint hiervoor maken:



Latere coördinaten in je persoonlijke notitie zullen ook op dezelfde manier naar een waypoint worden overgedragen en zal de naam van het waypoint dienovereenkomstig worden genummerd.



Als de waypoints van een cache al dezelfde coördinaten bevatten als in je persoonlijke notitie, maakt c:geo geen nieuw waypoint voor deze coördinaten omdat het veronderstelt dat ze in dit geval een onnodig dupliaat zijn. Twee coördinaten worden als "hetzelfde" gezien als ze identiek zijn geschreven in de Geocaching standaard Decimaal-Minuten Formaat (bijv. N50 10.123 E010 34.876)

## Sleutelwoorden gebruiken voor waypoint-types

Normaal gesproken definieert c: geo het waypoint-type voor coördinaten die in de persoonlijke notitie worden gevonden als Referentiepunt , maar u kunt trefwoorden in uw persoonlijke notitie gebruiken om het gebruik van een ander type waypoint af te dwingen.

Je plaatst eenvoudig een van de onderstaande sleutelwoorden voor het coördinaat:

| Icoon | Waypoint type         | Sleutelwoord in persoonlijke notitie |
|-------|-----------------------|--------------------------------------|
|       | Parkeerplaats         | PARKING                              |
|       | Te beantwoorden vraag | PUZZLE                               |
|       | Multi-cache punt      | STAGE                                |
|       | Trailhead             | TRAILHEAD                            |
|       | Referentie punt       | WAYPOINT                             |
|       | Eindbestemming        | FINAL                                |

Ook zullen de namen van de waypointtypen in de taal waarin je c:geo gebruikt werken, maar aangezien c: geo in veel talen beschikbaar is, vermelden we hier alleen de Engelse trefwoorden.

In ons voorbeeld hebben we de volgende persoonlijke notitie gemaakt:

—Personal note—

Parking N50 10.123 E010 34.876  
 Puzzle N50 12.010 E010 33.783  
 Stage N50 11.666 E010 35.123  
 Trailhead N50 11.456 E010 35.345  
 Waypoint N50 12.543 E010 33.471  
 Final N50 13.555 E010 35.110

welke vervolgens automatisch in deze waypoints worden gemaakt:

|   |                                |   |
|---|--------------------------------|---|
|  Personal note 1   | Parking Area · Custom          |    |
|   | N 50° 10,123' · E 010° 34,876' |   |
|  Personal note 4   | Trailhead · Custom             |    |
|   | N 50° 11,456' · E 010° 35,345' |   |
|  Personal note 2   | Question to Answer · Custom    |    |
|   | N 50° 12,010' · E 010° 33,783' |   |
|  Personal note 3   | Stage of a Multicache · Custom |    |
|   | N 50° 11,666' · E 010° 35,123' |   |
|  Personal note 5 | Reference Point · Custom       |  |
|   | N 50° 12,543' · E 010° 33,471' |   |
|  Personal note 6 | Final Location · Custom        |  |
|   | N 50° 13,555' · E 010° 35,110' |   |

## Advanced waypoint syntax

Perhaps you noticed that waypoints from personal note were created with default names like e.g. Personal Note 2. If you want to perform more advanced waypoint operations from your personal notes you have to use an advanced waypoint syntax. With this you can:

- Modify properties of predefined waypoints (=waypoints which were predefined by the cache owner in the listing): coordinate and user note
- Create or modify waypoint type, name and user note in user-defined waypoints

To do this, use the following syntax in your personal note:

@[<prefix>]<name> (<waypointTypeId>) <coordinate> “<user note>”

The advanced format is recognized when it starts with a @ at the beginning of a new line. The following content is parsed:

- **Waypoint name:** everything between the @ and the coordinate is considered to be a part of the waypoint name, except when it is in parenthesis ()
- **Prefix:** If the @ is directly followed by square brackets [ ], then the content of these brackets is considered to be the prefix of the waypoint you want to edit
- **User note:** If the coordinate is immediately followed by “ (in same or next line), then everything between this ” and the next “ is considered to be part of the waypoint's **user note** (including line breaks). If the coordinate is not followed by ” but has additional content on same line, then this content is considered to be the waypoint's user note
- **Waypoint type:** same rules apply as discussed in previous sections.
- **Coordinate:** same rules apply as discussed in previous sections. Additionally there is a “special” coordinate tag (NO-COORD) which can be used to specify an empty coordinate (this is necessary in the very special case that one wants to modify the user note of a predefined waypoint which has no coordinate)
- **Formula:** same rules apply as discussed in previous sections. Additionally there is a “special” formula tag (F-PLAIN) which can be used to specify a formula in the plain-format. Cache-listings often contains already formulas in this format. You can specify any already known value for the variables separate by the | -symbol.

The syntax of the formula must satisfy the criterias as described in [Using Plain Coordinate Format](#). If you can determine the values for the variables only step by step, it is recommended to enable `Prevent waypoints extraction` until you have entered all variables in the personal note. Then the waypoint can be created with all values and the coordinates are calculated. (Note: the other formats are in progress)


The geocaches waypoint list is modified with this information as follows:

- If a **prefix** is parsed and a waypoint is found with the same prefix, then it is assumed that this waypoint should be modified. This is usually only used for predefined waypoints.
- If a waypoint is found with the same coordinate as the waypoint parsed, then it is assumed that this waypoint should be modified.
- Otherwise a new waypoint is created.

In case a waypoint is modified, the following rules apply:

- For predefined waypoints the only things that can be modified are the coordinate (if the cache owner defined it empty) and the user note.
- In existing waypoints, fields are only overridden when they are empty or filled with a default value (e.g. system-generated waypoint name)
- A formula in Plain-format will only be adopted if no formula or coordinate has been entered yet.

The following examples show different texts on the left and the waypoints created out of them on the right

| Personal note text   | produced waypoint   |
|--|---|
| <pre>@ A good parking place N50 11.456 E010 35.345 park under the oak tree</pre> |  <p>P A good parking place<br/>Parking Area · Custom<br/>N 50° 11.456' · E 010° 35.345'<br/>park under the oak tree</p> |

| Personal note text   | produced waypoint   |
|--|---|
| @ (X) marks the spot N50 12.010 E010<br>33.783   |  <b>marks the spot</b><br>Question to Answer · Custom<br>N 50° 12.010' · E 010° 33.783'<br>   |
| <p>@[S5]Station 5 (X) (NO-COORD) "We have to think about this later"</p> <p><i>Note: this example assumes that there is a predefined waypoint in the listing with prefix S5</i></p>  |  <b>Station 5</b><br>Question to Answer · S5 · STAGE5<br>Elsa und Emil - Geschwindigkeit bei Nebel<br>We have to think about this later<br> |
| <p>@Final (F) (F-PLAIN) N48 AB.(C*D/2)<br/>         E 9 (C-D).(A+B)  A=a+b a=5  "Formula is calculated with the variables"</p> <p><i>Note: The formula is then transferred to the waypoint calculator (format Plain)</i></p> |  <b>Final</b><br>Final Location · Custom<br>Calculated coordinates<br>Formula is calculated with the variables<br>                          |